

Fume A-Vent Conventional Overhead (Simple Drop) Systems


Date 7/12

Part No.SD-XXX

Simple Drop Systems

TAB 2-A

Fume-A-Vent's Overhead Systems are the user-friendly and cost-effective solution that meets a wide variety of demands. These systems incorporate many hose types and lifting configurations. The hose types range from high-temperature silicone to medium-temperatures polyester. The lifting configurations include ropes and pulleys and cable balancers. Complete the package by adding a direct-mount fan, which allows a complete stand-alone system, or connect to ductwork and a central fan.



Simple Drop Explained

1. Connects directly to the ducting system.
2. Hose is designed with the exact temperature and length needed for your custom application.
3. Hose is stowed using an elbow joint which suspends the hose.
4. A nozzle is selected which meets the needs of your custom application.
5. The hose is lowered from the ceiling and easily unclipped for use.
6. The nozzle easily attaches to the exhaust source.

FUME-A-VENT™
EXHAUST REMOVAL SYSTEMS
A Product of Air Cleaning Specialists, Inc.

AIR CLEANING SPECIALISTS, INC.
11088 Gravois Industrial Ct. St. Louis MO 63128
866 455-2132 Fax 636 349-0556
www.fume-a-vent.com info@fume-a-vent.com

This sheet has been copyrighted
and is the property of
Air Cleaning Specialists, Inc.


Fume-A-Vent Simple Drop System with Rope & Pulley Lifting System

Date 7/12

Part No. SDP-X-XXXX-C

Rope & Pulley Simple Drop System

TAB 2-B



Duct Connection. Hose clamps directly to the ductwork.

Lifting Style. System can be fitted with a rope and pulley or balancer. *Shown with a rope & pulley*

Hose. Select the type, temperature, length and diameter of hose. *Shown with a H-05-0425*

Tailpipe Adapter. Select the type and diameter of the tailpipe adapter. *Shown with a TPA-10-0404*

FUME-A-VENT
EXHAUST REMOVAL SYSTEMS
A Product of Air Cleaning Specialists, Inc.

AIR CLEANING SPECIALISTS, INC.
11088 Gravois Industrial Ct. St. Louis MO 63128
866 455-2132 Fax 636 349-0556
www.fumeavent.com info@fumeavent.com

This drawing has been copyrighted and is the property of Air Cleaning Specialists, Inc.

Fume-A-Vent Type 11 1200°F Double Layer Special Coated Heat Stable Hose

Date 7/12

Part No. H-11-XXXX-N

Type 11 1200°F Hose

TAB 1-K

This Fume-A-Vent Type 11 is a very high temperature hose, that is made of special coated glass fabric. This double layer hose can be used for numerous applications such as high load vehicle exhaust, military/defense, metal works, industrial dryers, radiant head protection, and other high temp jobs.

Temperature Range: - 75°F to +1200°F (Baking Test)

This product meets UL94, VO standard for flame and spark resistance.

This product has a temperature rating at 1300°F for intermittent use, 1200° constant use.

The double layer hose has two wall layers of asbestos free high temperature fabric that is coated to adapt to heat and is reinforced by a woven in stainless steel wire. An external galvanized steel helix provides durability a small bend radius. This hose is silicone free.

Common lengths include 15' to 30' with 4" to 8" Diameters and can also be used in Dual Temperature hoses. Other information such as bending radius and helix pitch are available upon request. This product should always be used with the proper Tailpipe Adapter and Fan for your needs. The chart below shows common hose sizes and weight.



Part No	Description	Wt. Lbs.
H-11-0415-N	Fume-A-Vent 4" x 15' Type 11 1200°F Double Layer Special Coated Glass Fabric	21.15
H-11-0420-N	Fume-A-Vent 4" x 20' Type 11 1200°F Double Layer Special Coated Glass Fabric	28.20
H-11-0425-N	Fume-A-Vent 4" x 25' Type 11 1200°F Double Layer Special Coated Glass Fabric	32.25
H-11-0430-N	Fume-A-Vent 4" x 30' Type 11 1200°F Double Layer Special Coated Glass Fabric	42.30
H-11-0515-N	Fume-A-Vent 5" x 15' Type 11 1200°F Double Layer Special Coated Glass Fabric	21.78
H-11-0520-N	Fume-A-Vent 5" x 20' Type 11 1200°F Double Layer Special Coated Glass Fabric	34.90
H-11-0525-N	Fume-A-Vent 5" x 25' Type 11 1200°F Double Layer Special Coated Glass Fabric	43.63
H-11-0530-N	Fume-A-Vent 5" x 30' Type 11 1200°F Double Layer Special Coated Glass Fabric	52.35
H-11-0615-N	Fume-A-Vent 6" x 15' Type 11 1200°F Double Layer Special Coated Glass Fabric	26.18
H-11-0620-N	Fume-A-Vent 6" x 20' Type 11 1200°F Double Layer Special Coated Glass Fabric	34.90
H-11-0625-N	Fume-A-Vent 6" x 25' Type 11 1200°F Double Layer Special Coated Glass Fabric	43.63
H-11-0630-N	Fume-A-Vent 6" x 30' Type 11 1200°F Double Layer Special Coated Glass Fabric	53.35
H-11-0815-N	Fume-A-Vent 8" x 20' Type 11 1200°F Double Layer Special Coated Glass Fabric	28.13
H-11-0825-N	Fume-A-Vent 8" x 25' Type 11 1200°F Double Layer Special Coated Glass Fabric	46.88
H-11-0830-N	Fume-A-Vent 8" x 30' Type 11 1200°F Double Layer Special Coated Glass Fabric	56.25