
Fume A-Vent Conventional Overhead (Simple Drop) Systems

Date 7/12 Part No.SD-XXX Simple Drop Systems TAB 2-A

Fume-A-Vent's Overhead Systems are the user-friendly and cost-effective solution that meets a wide variety of demands. These systems incorporate many hose types and lifting configurations. The hose types range from high-temperature silicone to medium-temperatures polyester. The lifting configurations include ropes and pulleys and cable balancers. Complete the package by adding a direct-mount fan, which allows a complete stand-alone system, or connect to ductwork and a central fan.




Simple Drop Explained

- 1. Connects directly to the ducting system.
- 2. Hose is designed with the exact temperature and length needed for your custom application.
- 3. Hose is stowed using an elbow joint which suspends the hose.
- 4. A nozzle is selected which meets the needs of your custom application.
- 5. The hose is lowered from the ceiling and easily unclipped for use.
- 6. The nozzle easily attaches to the exhaust source.



Fume-A-Vent Simple Drop System with Rope & Pulley Lifting System





11088 Gravois Industrial Ct. St. Louis MO 63128 866 455-2132 Fax 636 349-0556

www.fumeavent.com info@fumeavent.com

and is the property of Air Cleaning Specialists, Inc.

Fume-A-Vent Type 10 1000°F Double Layer Impregnated Glass Fabric Hose

Date 7/12 Part No. H-10-XXXX Type 10 1000°F Hose TAB 1-J

This Fume-A-Vent Type 10 hose is a higher temperature hose that is made with a double layer glass fabric wall. It can be effectively used on military applications, suction plants, metal works, radiant heat protection, and primary extraction hoses. This hose is silicone free and highly flexible.


Temperature Range: - 5°F to +1000°F (Baking Test)

This product meets Flame retardant UL-94 VO and federal motor vehicle MVSS-302 test standards.

This product has a temperature rating at 1100°F for intermittent use, 1000°F constant use.

This silver high temperature hose is constructed with an outer impregnated glass fabric wall and an inner wall of special coated fabric, reinforced by stainless steel wire. It also has a galvanized steel external helix.

Common lengths include 15' to 30' with 4" to 8" Diameters and can also be used in Dual Temperature hoses. Other information such as bending radius and helix pitch are available upon request. This product should always be used with the proper Tailpipe Adapter and Fan for your application. The chart below shows common hose sizes and



Part No	Description	Wt. Lbs.
H-10-0415	Fume-A-Vent 4" x 15' Type 10 1000°F Impregnated Glass Fabric Hose	12.45
H-10-0420	Fume-A-Vent 4" x 20' Type 10 1000°F Impregnated Glass Fabric Hose	16.60
H-10-0425	Fume-A-Vent 4" x 25' Type 10 1000°F Impregnated Glass Fabric Hose	20.75
H-10-0430	Fume-A-Vent 4" x 30' Type 10 1000°F Impregnated Glass Fabric Hose	24.90
H-10-0515	Fume-A-Vent 5" x 15' Type 10 1000°F Impregnated Glass Fabric Hose	13.80
H-10-0520	Fume-A-Vent 5" x 20' Type 10 1000°F Impregnated Glass Fabric Hose	18.40
H-10-0525	Fume-A-Vent 5" x 25' Type 10 1000°F Impregnated Glass Fabric Hose	23.00
H-10-0530	Fume-A-Vent 5" x 30' Type 10 1000°F Impregnated Glass Fabric Hose	27.60
H-10-0615	Fume-A-Vent 6" x 15' Type 10 1000°F Impregnated Glass Fabric Hose	17.10
H-10-0620	Fume-A-Vent 6" x 20' Type 10 1000°F Impregnated Glass Fabric Hose	22.80
H-10-0625	Fume-A-Vent 6" x 25' Type 10 1000°F Impregnated Glass Fabric Hose	28.50
H-10-0630	Fume-A-Vent 6" x 30' Type 10 1000°F Impregnated Glass Fabric Hose	34.20
H-10-0815	Fume-A-Vent 8" x 15' Type 10 1000°F Impregnated Glass Fabric Hose	22.80
H-10-0820	Fume-A-Vent 8" x 20' Type 10 1000°F Impregnated Glass Fabric Hose	30.40
H-10-0825	Fume-A-Vent 8" x 25' Type 10 1000°F Impregnated Glass Fabric Hose	38.00
H-10-0830	Fume-A-Vent 8" x 30' Type 10 1000°F Impregnated Glass Fabric Hose	45.60



AIR CLEANING SPECIALISTS, INC.

11088 Gravois Industrial Ct. St. Louis MO 63128 866 455-2132 Fax 636 349-0556 www.fumeavent.com info@fumeavent.com This drawing has been copyrighted and is the property of Air Cleaning Specialists, Inc.