

Fume A-Vent Conventional Overhead (Simple Drop) Systems


Date 7/12

Part No.SD-XXX

Simple Drop Systems

TAB 2-A

Fume-A-Vent's Overhead Systems are the user-friendly and cost-effective solution that meets a wide variety of demands. These systems incorporate many hose types and lifting configurations. The hose types range from high-temperature silicone to medium-temperatures polyester. The lifting configurations include ropes and pulleys and cable balancers. Complete the package by adding a direct-mount fan, which allows a complete stand-alone system, or connect to ductwork and a central fan.



Simple Drop Explained

1. Connects directly to the ducting system.
2. Hose is designed with the exact temperature and length needed for your custom application.
3. Hose is stowed using an elbow joint which suspends the hose.
4. A nozzle is selected which meets the needs of your custom application.
5. The hose is lowered from the ceiling and easily unclipped for use.
6. The nozzle easily attaches to the exhaust source.

FUME-A-VENT™
EXHAUST REMOVAL SYSTEMS
A Product of Air Cleaning Specialists, Inc.

AIR CLEANING SPECIALISTS, INC.
826 Horan Drive Fenton, MO 63026
866 455-2132 Fax 636 349-0556
www.fume-a-vent.com info@fume-a-vent.com

This sheet has been copyrighted
and is the property of
Air Cleaning Specialists, Inc.


Fume-A-Vent Simple Drop System with Rope & Pulley Lifting System

Date 7/12

Part No. SDP-X-XXXX-C

Rope & Pulley Simple Drop System

TAB 2-B



Duct Connection. Hose clamps directly to the ductwork.

Lifting Style. System can be fitted with a rope and pulley or balancer. *Shown with a rope & pulley*

Hose. Select the type, temperature, length and diameter of hose. *Shown with a H-05-0425*

Tailpipe Adapter. Select the type and diameter of the tailpipe adapter. *Shown with a TPA-10-0404*

FUME-A-VENT
EXHAUST REMOVAL SYSTEMS
A Product of Air Cleaning Specialists, Inc.

AIR CLEANING SPECIALISTS, INC.
826 Horan Drive Fenton, MO 63026
866 455-2132 Fax 636 349-0556
www.fumeavent.com info@fumeavent.com

This drawing has been copyrighted
and is the property of
Air Cleaning Specialists, Inc.

Fume-A-Vent Type 5CW 600°F Single-Ply Silicone Coated Fireberglass Hose

Date 2/14

Part No. H-05CWW-XXXX

Type 5CW 600°F Hose

TAB 1-E-2

Fume-A-Vent Type 5CW Hose is specially designed with Exhaust Removal in mind. It can be used on Hose Reels, Simple Drop Systems, and medium to light duty car exhaust removal. This hose features a ThermoPlastic Helix Abrasion Protector, to prevent damage to vehicles or equipment. Standard color is a Silver Hose with Black Helix Protector.

Temperature Range: -50°F to +550°F

This product passed UL-94,V-O standards for flame resistance.

This product has an overall emperature of 600°F when used with a Exhaust Fan.

This hose is made with a Flame Resistant Single-Ply Silicone Coated Fiberglass Hose. The exterior helix deign makes great flow characteristics. The hose is made of a grey fabric with a galvanized steel helix. It has a high compressabiliy rate and flexibility.

Other information including wall thickness and helix pitch are available upon request. Common lengths shown below include 15' to 35' with 3" to 8" Diameters. Other size options are always available upon request.



Part No	Description	Wt. Lbs.	Bend Radius
H-05CW-0415	4" x 15' Type 5CW 600 ⁰ Single-Ply Silicone Coated Fiberglass Hose	11.70	3"
H-05CW-0420	4" x 20' Type 5CW 600 ⁰ Single-Ply Silicone Coated Fiberglass Hose	15.60	3"
H-05CW-0425	4" x 25' Type 5CW 600 ⁰ Single-Ply Silicone Coated Fiberglass Hose	19.50	3"
H-05CW-0430	4" x 30' Type 5CW 600 ⁰ Single-Ply Silicone Coated Fiberglass Hose	23.40	3"
H-05CW-0515	5" x 15' Type 5CW 600 ⁰ Single-Ply Silicone Coated Fiberglass Hose	11.55	3.5"
H-05CW-0520	5" x 20' Type 5CW 600 ⁰ Single-Ply Silicone Coated Fiberglass Hose	15.40	3.5"
H-05CW-0525	5" x 25' Type 5CW 600 ⁰ Single-Ply Silicone Coated Fiberglass Hose	19.25	3.5"
H-05CW-0530	5" x 30' Type 5CW 600 ⁰ Single-Ply Silicone Coated Fiberglass Hose	23.10	3.5"
H-05CW-0615	6" x 15' Type 5CW 600 ⁰ Single-Ply Silicone Coated Fiberglass Hose	10.50	4.5"
H-05CW-0620	6" x 20' Type 5CW 600 ⁰ Single-Ply Silicone Coated Fiberglass Hose	14.00	4.5"
H-05CW-0625	6" x 25' Type 5CW 600 ⁰ Single-Ply Silicone Coated Fiberglass Hose	17.50	4.5"
H-05CW-0630	6" x 30' Type 5CW 600 ⁰ Single-Ply Silicone Coated Fiberglass Hose	21.00	4.5"
H-05CW-0815	8" x 15' Type 5CW 600 ⁰ Single-Ply Silicone Coated Fiberglass Hose	18.45	5.5"
H-05CW-0825	8" x 25' Type 5CW 600 ⁰ Single-Ply Silicone Coated Fiberglass Hose	24.60	5.5"
H-05CW-0830	8" x 30' Type 5CW 600 ⁰ Single-Ply Silicone Coated Fiberglass Hose	30.75	5.5"



A Product of Air Cleaning Specialists, Inc.

AIR CLEANING SPECIALISTS, INC.

826 Horan Drive Fenton, MO 63026

866 455-2132 Fax 636 349-0556

www.fumeavent.com info@fumeavent.com

This drawing has been copyrighted
and is the property of
Air Cleaning Specialists, Inc.