

## Fume A-Vent Conventional Overhead (Simple Drop) Systems


Date 7/12

Part No.SD-XXX

Simple Drop Systems

TAB 2-A

**Fume-A-Vent's** Overhead Systems are the user-friendly and cost-effective solution that meets a wide variety of demands. These systems incorporate many hose types and lifting configurations. The hose types range from high-temperature silicone to medium-temperatures polyester. The lifting configurations include ropes and pulleys and cable balancers. Complete the package by adding a direct-mount fan, which allows a complete stand-alone system, or connect to ductwork and a central fan.



### Simple Drop Explained

1. Connects directly to the ducting system.
2. Hose is designed with the exact temperature and length needed for your custom application.
3. Hose is stowed using an elbow joint which suspends the hose.
4. A nozzle is selected which meets the needs of your custom application.
5. The hose is lowered from the ceiling and easily unclipped for use.
6. The nozzle easily attaches to the exhaust source.

**FUME-A-VENT™**  
**EXHAUST REMOVAL SYSTEMS**  
A Product of Air Cleaning Specialists, Inc.

AIR CLEANING SPECIALISTS, INC.  
11088 Gravois Industrial Ct. St. Louis MO 63128  
866 455-2132 Fax 636 349-0556  
www.fume-a-vent.com info@fume-a-vent.com

This sheet has been copyrighted  
and is the property of  
Air Cleaning Specialists, Inc.


# Fume-A-Vent Simple Drop System with Rope & Pulley Lifting System

Date 7/12

Part No. SDP-X-XXXX-C

Rope & Pulley Simple Drop System

TAB 2-B



**Duct Connection.** Hose clamps directly to the ductwork.

**Lifting Style.** System can be fitted with a rope and pulley or balancer. *Shown with a rope & pulley*

**Hose.** Select the type, temperature, length and diameter of hose. *Shown with a H-05-0425*

**Tailpipe Adapter.** Select the type and diameter of the tailpipe adapter. *Shown with a TPA-10-0404*

**FUME-A-VENT**  
**EXHAUST REMOVAL SYSTEMS**  
A Product of Air Cleaning Specialists, Inc.

AIR CLEANING SPECIALISTS, INC.  
11088 Gravois Industrial Ct. St. Louis MO 63128  
866 455-2132 Fax 636 349-0556  
www.fumeavent.com info@fumeavent.com

This drawing has been copyrighted and is the property of Air Cleaning Specialists, Inc.

# Fume-A-Vent Type 8 750°F Double Layer Heat Resistant Glass Fabric Hose

Date 7/12

Part No. H-08-XXXX-N

Type 8 750°F Hose

TAB 1-H

This Fume-A-Vent Type 8 is our high temperature hose, that is made with impregnated glass fabric, asbestos free, with a steel helix. This double layer hose can be used for numerous applications such as iron and steel works, mild engine testing, extraction processes, and low pressure applications. It also features a 1:3 compressibility.

Temperature Range: - 75°F to +750°F (Baking Test)

This product meets UL94, VO standard for flame and spark resistance.

This product has a temperature rating at 840°F for intermittent use, 750° constant use.

The double layer hose wall is made with impregnated glass fabrics inside and a special coated fabric with stainless steel wire reinforcement for the outside wall. Also supported by a galvanized steel external helix. It is silicone free.

Common lengths include 15' to 30' with 4" to 8" Diameters and can also be used in Dual Temperature hoses. Other information such as bending radius and helix pitch are available upon request. This product should always be used with the proper Tailpipe Adapter and Fan for your application. The chart below shows common hose sizes.



Part No	Description	Wt-Lbs
H-08-0415-N	Fume-A-Vent 4" x 15' Type 8 750°F Double Layer Impregnated Glass Fabric	10.05
H-08-0420-N	Fume-A-Vent 4" x 20' Type 8 750°F Double Layer Impregnated Glass Fabric	13.40
H-08-0425-N	Fume-A-Vent 4" x 25' Type 8 750°F Double Layer Impregnated Glass Fabric	16.75
H-08-0430-N	Fume-A-Vent 4" x 30' Type 8 750°F Double Layer Impregnated Glass Fabric	20.10
H-08-0515-N	Fume-A-Vent 5" x 15' Type 8 750°F Double Layer Impregnated Glass Fabric	12.38
H-08-0520-N	Fume-A-Vent 5" x 20' Type 8 750°F Double Layer Impregnated Glass Fabric	16.50
H-08-0525-N	Fume-A-Vent 5" x 25' Type 8 750°F Double Layer Impregnated Glass Fabric	20.63
H-08-0530-N	Fume-A-Vent 5" x 30' Type 8 750°F Double Layer Impregnated Glass Fabric	24.75
H-08-0615-N	Fume-A-Vent 6" x 15' Type 8 750°F Double Layer Impregnated Glass Fabric	12.38
H-08-0620-N	Fume-A-Vent 6" x 20' Type 8 750°F Double Layer Impregnated Glass Fabric	16.50
H-08-0625-N	Fume-A-Vent 6" x 25' Type 8 750°F Double Layer Impregnated Glass Fabric	20.62
H-08-0630-N	Fume-A-Vent 6" x 30' Type 8 750°F Double Layer Impregnated Glass Fabric	24.75
H-08-0815-N	Fume-A-Vent 8" x 15' Type 8 750°F Double Layer Impregnated Glass Fabric	13.78
H-08-0820-N	Fume-A-Vent 8" x 20' Type 8 750°F Double Layer Impregnated Glass Fabric	17.70
H-08-0825-N	Fume-A-Vent 8" x 25' Type 8 750°F Double Layer Impregnated Glass Fabric	22.13
H-08-0830-N	Fume-A-Vent 8" x 30' Type 8 750°F Double Layer Impregnated Glass Fabric	26.55



A Product of Air Cleaning Specialists, Inc.

AIR CLEANING SPECIALISTS, INC.

11088 Gravois Industrial Ct. St. Louis MO 63128

866 455-2132 Fax 636 349-0556

www.fumeavent.com info@fumeavent.com

This drawing has been copyrighted  
and is the property of  
Air Cleaning Specialists, Inc.